



ROCKBOND
PRODUCT CATALOGUE



ABOUT US

ADDING LIFE TO CONCRETE STRUCTURES

Rockbond is an innovative industry leader specialising in the enhancement, strengthening, and remediation of critical infrastructure and buildings.

With an unwavering commitment to reliability and resilience, Rockbond provides cutting-edge technologies and state of the art methodologies to strengthen vital structures across New Zealand and the Pacific Islands.

Rockbond's expertise lies in providing long-life solutions that not only reinstate the integrity of the structure, but are value engineered to save installation time and cost for the asset owner.

Through a combination of technical expertise and a dedication to excellence, Rockbond stands on its own in the space of concrete remediation & strengthening, safeguarding essential assets and adding decades of life to building structures.



CONTENTS

STRUCTURAL GROUTS	04	CONCRETE CURING COMPOUNDS	19
REPAIR MORTARS & RENDERS	06	SURFACE RETARDERS	20
FAST SETTING GROUTS & MORTARS	08	RELEASE AGENTS	21
DRY-SPRAY PRODUCTS	09	PROTECTIVE COATINGS	22
UNDERWATER REPAIR PRODUCTS	10	CLEANERS & MASKING AGENTS	23
PRIMERS & BONDING AGENTS	11	CONCRETE & GROUT ADMIXTURES	24
STRUCTURAL EPOXIES	12	BETONAMIT	26
FLOOR SCREEDS	14	HERITAGE-GRID FRCM SYSTEM	27
FLOOR REPAIR	15	FRP SYSTEMS	28
CHEMICAL ANCHORS	16	PILE PROTECTION	30
SEALANTS	17	CATHODIC PROTECTION	31
WATERSTOP	18		



STRUCTURAL GROUTS

Rockbond's high strength structural grouts are designed to combine excellent mechanical strengths with flowability making them ideal for a wide range of void filling applications. These are the products of choice for filling drossbachs, grouting in starter bars and tilt panels and numerous other construction uses.

1.04	GP GROUT-PLUS	High strength shrinkage compensated GP grout	25kg 
1.06	MICRO CONCRETE	A very strong 60MPa free flowing micro concrete	25kg 
1.08	SUPER FLOW GROUT	High strength extremely fluid cementitious grout	25kg 
1.10	SUPER STRENGTH GROUT	Ultra high strength grout for demanding applications	25kg 



STRUCTURAL GROUTS

Whether it is a pourable micro concrete for deep voids or boxed repairs, a high flow pumpable grout, a thixotropic grout, or grouts with varying densities for different applications Rockbond has the product to fit the application.

5.02	DYCORE GROUT	Premixed thixotropic cement blend for grouting Dycore precast cores.	25kg 
5.03	THIXOTROPIC GROUT	Premixed thixotropic cement blend with compatible admixtures.	20kg 
5.03HF	PUMPING GROUT HF	Highflow pumping grout for large voids and pumping long distances.	20kg 



REPAIR MORTARS & RENDERS

Rockbond offers a comprehensive range of high-performance, cementitious repair mortars and renders specifically engineered for structural restoration and protective re-surfacing in demanding civil engineering and construction environments.

1.01	REPAIR MORTAR	Super strong hi-build mortar sets at 60MPa	25kg 
1.12	WATERPROOF MORTAR	A waterproof cementitious repair mortar & render coat.	20kg 
1.12F	WATERPROOF RENDER	Water-mix cement render designed for easy trowel or spray application.	20kg 



REPAIR MORTARS & RENDERS

The Rockbond Range of high strength mortars are used extensively in concrete repair, seismic upgrade projects and speciality pointing applications.

- | | | | |
|-------------|------------------------|--|--|
| 1.18 | HERITAGE MORTAR | A waterproof cementitious repair mortar designed for heritage buildings. | 25kg  |
| 7.04 | FAIRING COAT | Easy-apply fairing coat for precast repairs; matches new concrete perfectly. | 20kg  |



FAST SETTING GROUTS & MORTARS

These fast-setting products are designed for concrete repair applications where time is critical or where low ambient temperatures would otherwise slow set times.

2.28	RAPID REPAIR	17 Minute set cementitious mortar that achieves 45 MPa in 28 days.		20kg 
3.07	FASTROCK ACCELERATED GROUT	Very fast setting 80MPa grout that achieves 30MPa in 2 hours @20degC.	10kg 	25kg 
3.09	FASTROCK SUPER ACCELERATED MORTAR	High early strength cementitious mortar. Achieves 5MPa in 1 hour, 10MPa in 2 hours	4kg 	25kg 
3.08	FASTROCK ACCELERATED CONCRETE	Pourable micro concrete that achieves high early strength in cold conditions, 10MPa in 2 hours @5degC.		25kg 



DRY-SPRAY PRODUCTS

Rockbond's high strength dry-spray products are used in concrete spraying applications where a great bonding low slump impermeable result is required.

1.02HS SPRAYED CONCRETE HS 60MPa shrinkage compensated high-density fibre reinforced Gunitite. 25kg  1T 

1.11 DRY-SHOT MORTAR 60MPa fibre reinforced dry-spray mortar that produces an excellent finish. 25kg  1T 



UNDERWATER REPAIR PRODUCTS

Engineered for the most demanding marine environments, Rockbond's underwater mortars, grouts, and concretes deliver high-strength structural restoration where uncompromising durability is required.

4.01	UNDERWATER MORTAR	50MPa cementitious repair mortar for coastal, off-shore and underwater applications.	25kg 
4.03	UNDERWATER GROUT	60MPa structural grout for underwater grouting applications and pile sleeve grouting.	25kg 
4.04	UNDERWATER CONCRETE	60MPa pumpable micro concrete for pile retrofitting and general underwater applications.	25kg 
8.01	290/190 EPOXY GROUT (3 PART)	High strength pourable epoxy grout	4ltr  8ltr  24ltr  534ltr 
8.04	EPOXY MORTAR (2 PART)	Heavy duty high-strength mouldable epoxy mortar system for both above and below water applications.	8ltr  20ltr 



PRIMERS & BONDING AGENTS

Rockbond's specialised primers and bonding agents offer superior interface adhesion, ensuring seamless transitions and maximum reliability across diverse substrates.

2.27	MULTI-COTE	A high performance durable coating system for concrete and steel.	10kg 
7.15	LATEX CONCENTRATE	Plaster Improver, bonding agent and primer.	5ltr  20ltr  200ltr 
8.03	290/190 EPOXY TIE COAT	High strength epoxy tie coat for concrete screeds and mortars	2.5ltr  5ltr  15ltr 



STRUCTURAL EPOXIES

Rockbond's structural epoxy range provides high-strength, chemically resistant solutions for critical applications, including precision injection resins for crack repair, pourable grouts for heavy machinery bedding, and versatile mortars and tie coats for durable structural bonding and restoration.

8.00	290/190 EPOXY INJECTION RESIN (2 PART)	High strength epoxy injection resin that is very fluid and penetrating.	2ltr 	4ltr 	12ltr 	
8.01	290/190 EPOXY GROUT (3 PART)	High strength pourable epoxy grout	4ltr 	8ltr 	24ltr 	534ltr 
8.04	EPOXY MORTAR (2 PART)	Heavy duty high-strength mouldable epoxy mortar system for both above and below water applications.		8ltr 	20ltr 	



STRUCTURAL EPOXIES

Rockbond's range of structural epoxy solutions includes crack injection resins, epoxy grouts and high strength epoxy mortars for concrete repair.

8.09	EPOXY RMT	A trowel-able, thixotropic, structural two-component adhesive repair mortar.	8ltr	20ltr
8.21	QUAKEBOND EPOXY GROUT	High-strength seismic grout for machinery and infrastructure in high-risk zones.	51ltr	510ltr
8.22	QUAKEBOND EPOXY INJECTION RESIN	High-strength, low-viscosity two-component epoxy designed for crack injection in civil and commercial construction.	30ltr	300ltr



FLOOR SCREEDS

Rockbond cementitious floor screeds provide high-strength, self-levelling, and rapid-setting solutions designed to create durable, abrasion-resistant surfaces for industrial, commercial, and residential flooring applications.

2.03	FAST FLOOR LEVELLER	Fast-curing and highly flowable 1 - 50 mm floor levelling compound.	20kg 
2.06	INDUSTRIAL FLOOR SCREED	Semi self-levelling screed for hard wear areas	20kg 
2.10	INDUSTRIAL FLOOR SCREED HD	Heavy-duty industrial floor screed for demanding environments (e.g. waste management depots & timber mills)	20kg 
2.20	SL30 SELF SMOOTHER	Self-smoothing 3mm+ cementitious underlayment for concrete subfloors prior to floor covering installation.	20kg 



FLOOR REPAIR

Rockbond floor repair products provide high-performance, rapid-setting solutions specifically engineered to restore damaged concrete surfaces, fill cracks, and repair joints in high-traffic industrial and commercial environments.

2.25	MIX & POUR	High-performance abrasion-resistant and acid-resistant floor repair product for cow sheds and factories.	10ltr 
2.26	SHIELD HP	High-wear chemical and H2S resistant coating for corrosion protection on any substrate.	10kg 
8.20	4034 RAPID REPAIR KIT	Ideal for cool stores, and crack and joint repairs in factory floors.	2ltr  10ltr  40ltr 



CHEMICAL ANCHORS

Rockbond chemical anchors provide high-strength, C2 seismic-rated fixings for critical concrete and masonry applications, supported by free design software to ensure compliant and reliable structural installations.

8.50-585 Epoxy 600 C2 Seismic Chemical Anchor 585ml 

8.55-585-G Battery Dispensing Gun for 585ml Cartridge

8.52-420 Epoxy HY200 C2 Seismic Hybrid Anchor 420ml 

8.56-380-G Battery Dispensing Gun for 420ml Cartridge

8.52-T-MIX Single Mixing Nozzle for HY200 C2 Anchor


8.50-SEM Single Mixing Nozzle for 600 C2 Anchor



SEALANTS

Rockbond offers a specialised range of high-performance sealants engineered for superior adhesion, chemical resistance, and durability in concrete joints and demanding industrial applications.

11.07 FIREPRO FR SEALANT	Fire-rated acrylic sealant.	600ml 
11.10 SIEGELBOND M35 SEALANT	Universal, high-performance structural adhesive and sealant for concrete and a range of other substrates.	600ml 
11.12 SIEGELSEAL N05+	High-performance, neutral-cure silicone sealant specifically engineered for superior adhesion and long-term durability.	300ml 
11.27 PU PRIMER	Rapid-drying primer for enhancing adhesion of polyurethane sealants to porous and non-porous substrates.	1ltr 



WATERSTOP

Rockbond supplies a full range of waterstop systems including PVC waterstops, hydrophilic waterstops, and a caulking grade waterstop. We have a wide range of other waterstop and sealant solutions available....contact our technical team.

11.01	LEAKMASTER WATERSTOP	Caulking Grade Hydrophilic Waterstop.	320ml 
11.51	HYDROTITE CJ-0725-3K-AD-EX	Hydrophilic Rubber Waterstop 25mm x 7mm.	10m 
11.52	HYDROTITE DSS-0220-PF-AD-EX	Hydrophilic Rubber Waterstop 20mm x 2mm.	10m 
11.53	HYDROTITE CJ-1020-2KAD-EX	Hydrophilic Rubber Waterstop 20mm x 10mm.	10m 
11.54	HYDROTITE CJ-0720-3K-AD-EX	Hydrophilic Rubber Waterstop 20mm x 7mm.	10m 
PVC-WS	PVC WATERSTOP	Full range of PVC waterstop profiles.	



CONCRETE CURING COMPOUNDS

Rockbond's advanced curing compounds and anti-vap solutions are engineered to minimise shrinkage cracking and ensure the long-term durability of high-performance concrete slabs.

7.10	SLABCURE	A Silicate based curing compound for concrete	20ltr 	200ltr 	1000ltr 
7.11	MEMBRANE CURE	Liquid curing membrane for cementitious materials	20ltr 	200ltr 	1000ltr 
7.12	SUPA-CURE	Wax curing membrane for cementitious materials	20ltr 	200ltr 	1000ltr 
7.27	EVAPORATION RETARDER	Water based compound for control of shrinkage cracking	20ltr 	200ltr 	1000ltr 



SURFACE RETARDERS

Rockbond's market-leading surface retarders are engineered for precision, enabling the creation of superior exposed aggregate finishes and high-performance construction joints.

7.16	SURFACE RETARDER	Water based concrete surface retarder <20MPa	20ltr 	200ltr 	1000ltr 
7.17	SURFACE RETARDER PLUS	Water based concrete surface retarder for 20-40MPa concrete	20ltr 	200ltr 	1000ltr 
7.17EX	SURFACE RETARDER-PLUS EXTRA	Water based concrete surface retarder for concrete over 40MPa	20ltr 	200ltr 	1000ltr 
10.71	BETOPRO MN2650	Brush on surface retarder paste for construction joints (suitable for >40mpa)	20ltr 		



RELEASE AGENTS

Rockbond sets the standard in the precast and construction industries, supplying high-performance release agents that ensure superior finishes and seamless production.

7.18	FORM RELEASE	Chemical release agent for concrete	20ltr  200ltr  1000ltr 
7.30	BIO-LEASE	Environmentally friendly oil-based release agent	20ltr  200ltr  1000ltr 
7.37	ENVIRO LEASE	High-performance release agent formulated from recycled oils, providing a sustainable solution for superior concrete finishes.	20ltr  200ltr  1000ltr 
10.60	ECORATIO BETOPRO 570	Environmentally friendly waterbased release agent	20ltr  200ltr  1000ltr 
10.65	BETOPRO WX-G	Special release agent wax for the removal of inserts	20ltr 



PROTECTIVE COATINGS

From specialised primers for steel to high-performance Shield HP and Multi-Cote systems, Rockbond's protective coatings provide an impenetrable barrier against corrosion, chemicals, and environmental wear.

1.00	PRIMER FOR STEEL	Anti corrosion protection for steel	4kg  20kg 
2.26	SHIELD HP	High-wear chemical and H2S resistant coating for corrosion protection on any substrate.	10kg 
2.27	MULTI-COTE	A high performance durable coating system for concrete and steel.	10kg 



CLEANERS & MASKING AGENTS

Achieve flawless site and equipment maintenance with Rockbond's advanced range, including the heavy-duty Crete Blaster Extra and the versatile Ecomask for superior protection and cleaning.

10.43 ECOMASK

Water based environmentally-friendly spray on masking agent that is great for protecting equipment

20ltr  200ltr 

10.14EX CRETE BLASTER EXTRA

The ultimate safe, high-performance solution for versatile and effortless concrete removal.

20ltr  200ltr  1000ltr 



CONCRETE & GROUT ADMIXTURES

Rockbond's innovative range of admixtures and additives is engineered to optimise the performance of grouts and concrete by enhancing flow, reducing shrinkage, and significantly increasing long-term durability in specialised construction applications.

6.01	A220 ADMIX	Expanding & plasticising admixture for grouts	x12	1kg
6.03	ACCELERATING POWDER(A301)	Rapidly accelerates the early strength development of grout, concrete & mortar.	10kg	25kg
6.07	FLY ASH CLASS F	High grade Class F Fly Ash for improving the workability and strength of concrete.	1.4T	
6.08	A1501 MICROSILICA	Additive for improving strength and abrasion resistance		25kg
6.09	A2201 ADMIX	Stabilising powder admix for underwater grouts and flowing concretes.		25kg
6.10	CC ACCELERATOR	Initial set accelerator	20ltr	200ltr 1000ltr
6.11	CF ACCELERATOR	Chloride free accelerator for concrete	20ltr	200ltr 1000ltr



CONCRETE & GROUT ADMIXTURES

From waterproofing and expansion to precision densifying, Rockbond offers a comprehensive suite of admixtures engineered to optimize every stage of the concrete lifecycle.

6.15	SUPER PLASTICISER	Concrete plasticiser	20ltr 	200ltr 	1000ltr 
6.16N	HYPER-PLASTICISER	Maintains flowability and allows major water reduction of over 30%	20ltr 	200ltr 	1000ltr 
6.18	CONCRETE RETARDER	Liquid Retarding Admixture for Concrete and Grout	20ltr 	200ltr 	1000ltr 
6.21	CEMENT ACCELERATOR	Rapid accelerating admixture for cements and mortars in drainage applications.	20ltr 	200ltr 	
6.30	A101 ADMIX	Thixotropic admixture for grouts, mortars & concrete			10kg 
6.31	A901 ADMIX	Shrinkage compensating powder admix to reduce cracking.			25kg 



BETONAMIT

Betonamit is a high-performance, non-explosive expansive mortar that provides a safe, silent, and vibration-free solution for the controlled demolition of rock and concrete in sensitive or restricted environments.

9.01 BETONAMIT

Non-explosive, tremor-free demolition agent for breaking rock and concrete without special infrastructure.

5kg 



HERITAGE-GRID FRCM SYSTEM

Part of the Rockbond family. FRCM structural strengthening system designed for unreinforced masonry structures (brick, block, stone, etc) and heritage buildings.

It combines a specially developed high-adhesion mortar/render with an alkali-resistant (AR) glass or carbon fibre (CFRP) reinforcing mesh to seismically strengthen and provide durability while preserving the integrity of heritage buildings.

Contact our team today to discuss your heritage building requirements.



FRP SYSTEMS

Rockbond's Fibre Reinforced Polymer (FRP) seismic strengthening systems represent a cutting-edge approach to enhancing the structural resilience of buildings and critical infrastructure against seismic events. Our comprehensive range of carbon and glass fibre solutions is specifically engineered to provide high-tensile reinforcement with minimal added weight, ensuring that existing structures can withstand extreme lateral forces while maintaining their architectural integrity. To ensure the highest standards of safety and performance, we provide full technical design support, working closely with engineers to tailor each application to the specific requirements of the asset.



Beyond superior material performance, Rockbond specialises in delivering value-engineered solutions that prioritise efficiency and cost-effectiveness for the asset owner. By optimising material selection and application techniques, our systems are designed to significantly reduce installation time and onsite labour costs compared to traditional steel or concrete jacketing methods. This innovative approach not only minimises operational downtime during retrofitting but also provides a durable, corrosion-resistant finish that extends the lifecycle of the infrastructure, offering a smarter, faster, and more economical path to seismic compliance.



PILE PROTECTION

Rockbond provide pile protection systems for protecting marine and bridge piles against corrosion and environmental degradation. Pile protection systems provide a resilient barrier around piles, shielding them from harsh marine elements such as saltwater, abrasion, and teredo worm. With a focus on durability and longevity, Rockbond's pile protection system offer cost-effective and easy-to-install solutions, that can be installed on timber, steel or concrete, and any shape or size.



CATHODIC PROTECTION

Cathodic protection for concrete structures stands as a ground-breaking solution in safeguarding critical infrastructure against corrosion. This innovative technology mitigates the effects of corrosion on reinforcing steel within concrete. By employing sacrificial anodes or impressed current systems, cathodic protection creates a protective electrical field that halts the corrosion process, significantly extending the lifespan and structural integrity of concrete structures. Rockbond offer a complete solution from design and supply through to training, site support and QA.

HEAD OFFICE

7 Te Puni St, Petone, Wellington.

PHONE

0800 762 526 | +64 4 5685401

EMAIL

sales@rockbond.co.nz

WEBSITE

www.rockbond.co.nz

STOCK LOCATIONS

Auckland | Wellington | Christchurch

TECHNICAL ADVICE

Freephone 0800 76 25 26 to obtain a solution to your concrete problem from our experienced team.

ROCKBOND

WE'LL MAKE YOUR JOB EASIER!

© All rights are reserved by Rockbond SCP Limited.